AMENDMENTS In the Claims

Current Status of Claims

1.(withdrawn) A method for treating an HIV positive or AIDS patient comprising administering a therapeutically effective amount of a plant extract derived from an *Allium* species other than *A. sativum*, wherein said plant extract is obtained from a dehydrated *Allium* plant material that is processed after dehydration to produce particles having an average particle size ranging from about 1 to 1,400 microns.

- 2.(withdrawn) The method of Claim 1, wherein said *Allium* plant extract is administered orally.
- 3.(withdrawn) The method of Claim 1, wherein said Allium plant extract is produced from an Allium selected from the group consisting of A. cepa, A. ampeloprasum, A. fistulosa, and A. schoenoprasum.
- 4.(withdrawn) The method of Claim 3, wherein said Allium is A. cepa.
- 5.(withdrawn) The method of Claim 1, which comprises daily administration of about 1 to 50 grams of said particulate *Allium* plant extract.
- 6.(withdrawn) The method of Claim 1, which lengthens the latent phase of AIDS.
- 7.(withdrawn) The method of Claim 1, which results in alleviation, improvement, or eradication of wasting syndrome, or other clinical symptoms associated with AIDS or HIV+patients.
- 8.(currently amended) A method for treating a viral infection in a patient comprising
- 2 administering a therapeutically effective amount of a plant extract comprising a particulate,
- dehydrated plant material derived from a species of Allium selected from the group

1	consisting of Allium cepa, Allium ampeloprasum, Allium fistulosa, and Allium
5	schoenoprasum having particles ranging in size from about 1 to 1,400 microns and having
5	a water content of less than or equal to 5.5% and where the effective amount is between 5
7	and 50 grams per day.
I	9.(previously presented) The method of claim 8, wherein the administering is orally

- 9.(**previously presented**) The method of claim 8, wherein the administering is orally administering.
- 1 10.(previously presented) The method of claim 8, wherein the viral infection is selected 2 from the group consisting of influenza, herpes, hepatitis, parvovirus, distemper, RSV, CMV, 3 rhinovirus, rhabdovirus, papillomavirus, Epstein Barr, and foot and mouth disease virus.
- 1 11.(previously presented) The method of claim 8, wherein the Allium species is Allium 2 ampeloprasum.
- 1 12.(previously presented) The method of claim 8, wherein the *Allium* species is *Allium* 2 cepa.
 - 13.(currently amended) The method of claim 8, wherein the extract has particles have a particle size distribution comprising about 42.9% of the particles having a size less than 250 microns, 56.9% of the particles having a size less than 355 microns, and 74.7% of the particles having a size less than 500 microns, 21.7% of the particles ranging between 500-850 microns, 22.1% of the particles ranging from 106-250 microns, 6.8% of the particles ranging from 75-106 microns, 10.8% of the particles ranging from 36-75 microns, and 3.2% of the particles less than 36 microns.
 - 14.(withdrawn) The method of Claim 1, wherein said particulate extract is administered orally.

1

2

3

4

5

6

7

15.(withdrawn) A method for promoting appetite and/or weight gain in a patient in need

of such treatment, comprising administering an effective amount of a plant extract derived

from an Allium species other than A. sativum, wherein said plant extract is obtained from a

dehydrated Allium plant material that is processed after dehydration to produce particles

having an average particle size ranging from about 1 to 1,400 microns.

16.(withdrawn) A method for stimulating and/or modulating the immune system of a

subject in need of such treatment comprising administering animmunostimulating and/or

immuno-modulating effect amount of a plant extract derived from an Allium species other

than A. sativum, which extract is obtained from a dehydrated Allium plant material that is

processed after dehydration to produce particles having an average particle size ranging from

about 1 to 1,400 microns.

17.(withdrawn) The method of Claim 1, which is used to boost the immune system of

a subject having an immune system that is compromised by age, disease, and/or inadequate

nutrition.

18.(withdrawn) The method of Claim 16, wherein said Allium is selected from the group

consisting of A. cepa, A. ampeloprasum, A. fistulosa, and A. schoenoprasum.

19.(withdrawn) A method for enhancing T-cell function, proliferation and/or

differentiation in a subject in need of such treatment comprising administering an effective

amount of a plant extract derived from an Allium species other than A. sativum, wherein said

extract is obtained from a dehydrated Allium plant material that is processed after

dehydration to produce particles having an average particle size ranging from about 1 to

1,400 microns.

20.(withdrawn) A method for treating microbial infection in a subject in need of such

treatment comprising administering an effective amount of a plant extract derived from an

Page 4

Allium species other than A. sativum, which extract is obtained from a dehydrated Allium plant material that is processed after dehydration to produce particles having an average particle size ranging from about 1 to 1,400 microns.

- 21.(withdrawn) The method of Claim 20, which is used to treat yeast infection.
- 22.(withdrawn) The method of Claim 20, which is used to treat fungal infection.
- 23.(withdrawn) The method of Claim 20, wherein said *Allium* is selected from the group consisting of *A. cepa*, *A. ampeloprasum*, *A. fistulosa*, and *A. schoenoprasum*.
- 24.(withdrawn) The method of Claim23, wherein said Allium extract is derived from *A. cepa*.
- 25.(withdrawn) The method of Claim 1, which further comprises placing said patient on a restricted diet.
- 26.(withdrawn) The method of Claim 1, wherein said patient is not being treated with any other anti-AIDS therapeutics.
- 27.(withdrawn) A method for producing an *Allium* plant extract having antiviral, antimicrobial and/or immuno-modulating properties comprising the following steps: (1) obtaining an *Allium* plant material which includes at least the bulb portion of the plant, wherein said *Allium* is of a species other than *A.sativum*; (2) subjecting said plant material to one or more washing procedures, wherein washing is effected using a chlorinated aqueous solution; (3) dehydrating said washed *Allium* plant material by beating at a temperature ranging from about 80 to 110°C; and (4) processing said dehydrated *Allium* plant material under low humidity to produce a composition comprised of particles wherein the average particle size ranges from about 1 to 1,400 microns.

- 28.(withdrawn) The method of Claim 27, wherein the washed plant material is cut into thin slices prior to dehydration.
- 29.(withdrawn) The method of Claim 27, wherein the particulate composition resulting from step (4) is placed into capsules.
- 30.(withdrawn) The method of Claim 27, wherein the particulate composition resulting from step (4) is used to produce suppositories tablets, or sachets.
- 31.(withdrawn) The method of Claim 27, wherein the particulate composition resulting from step (4) is used to produce a liquid orally administrable formulation.
- 32.(withdrawn) The method of Claim 29, wherein said tablets are coated such that they dissolve selectively in the stomach or intestine, or comprise a mixture of coated tablets that dissolve selectively in the stomach and intestine.
- 33.(withdrawn) A medicinal extract derived from an *Allium* species other than *A. sativum* produced according to Claim 27.
- 34.(withdrawn) The medicinal extract of Claim 33, which is obtained from A. cepa.
- 35.(withdrawn) The medicinal extract of Claim 33, which is in the form of a powder, capsule, tablet, suppository, sachet, injectable composition, oral administrable liquid, inhalatory, aerosol, or topically administrable composition.
- 36.(withdrawn) The medicinal extract of Claim 35, which comprises a tablet.
- 37.(withdrawn) The medicinal extract of Claim 35, which comprises a capsule.

- 38.(withdrawn) The medicinal extract of Claim 35, which comprises a suppository.
- 1 39.(currently amended) The method of claim 8, wherein <u>64.6% of</u> the particles have a
- 2 particle size of less than or equal to between 10 microns to about 850 microns.
- 1 40.(currently amended) The method of claim 8, wherein 74.7% of the particles have a
- 2 particle size between about 36 and about less than 500 microns.
- 1 41.(previously presented) The method of claim 8, wherein the Allium species is Allium
- 2 fistulosa.
- 1 42.(previously presented) The method of claim 8, wherein the Allium species is Allium
- 2 schoenoprasum.
- 1 43.(new) The method of claim 8, wherein 21.7% of the particles have a size ranging
- between 500-850 microns, 22.1% of the particles have a size ranging from 106-250 microns,
- 3 6.8% of the particles have a size ranging from 75-106 microns, 10.8% of the particles have
- 4 a size ranging from 36-75 microns, and 3.2% of the particles have a size less than 36 microns